

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/23/2013 7:06	Specific Conductance	480	umho/cm
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/23/2013 7:06	DO	6.2	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/23/2013 7:06	Enterococci	235	MPN/100 mL
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/23/2013 7:06	E. coli	52	MPN/100 mL
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/23/2013 7:06	TempC	27.2	Deg-C
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/23/2013 7:06	TN	2.012676	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/23/2013 7:06	TP	0.081648	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/23/2013 7:06	TSS	21.5	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/23/2013 7:40	Specific Conductance	830	umho/cm
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/23/2013 7:40	DO	2.6	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/23/2013 7:40	Enterococci	1260	MPN/100 mL
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/23/2013 7:40	E. coli	882	MPN/100 mL
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/23/2013 7:40	TempC	22.1	Deg-C
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/23/2013 7:40	TN	1.022136	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/23/2013 7:40	TP	0.085296	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/23/2013 7:40	TSS	10	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/23/2013 7:40	Specific Conductance	41000	umho/cm
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/23/2013 7:40	DO	4.69	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/23/2013 7:40	Enterococci	52	MPN/100 mL
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/23/2013 7:40	E. coli	242	MPN/100 mL
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/23/2013 7:40	TempC	21.2	Deg-C
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/23/2013 7:40	TN	0.383892	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/23/2013 7:40	TP	0.08088	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/23/2013 7:40	TSS	18.5	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/23/2013 8:00	Specific Conductance	44100	umho/cm
SRWC-PR2	Pines River @ Route 1A, Revere	7/23/2013 8:00	DO	3.98	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/23/2013 8:00	Enterococci	171	MPN/100 mL
SRWC-PR2	Pines River @ Route 1A, Revere	7/23/2013 8:00	E. coli	397	MPN/100 mL
SRWC-PR2	Pines River @ Route 1A, Revere	7/23/2013 8:00	TempC	21	Deg-C
SRWC-PR2	Pines River @ Route 1A, Revere	7/23/2013 8:00	TN	0.503472	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/23/2013 8:00	TP	0.108528	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/23/2013 8:00	TSS	19.5	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/23/2013 9:05	Specific Conductance	907	umho/cm

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/23/2013 9:05	DO	6.16	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/23/2013 9:05	Enterococci	24200	MPN/100 mL
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/23/2013 9:05	E. coli	19900	MPN/100 mL
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/23/2013 9:05	TempC	20.3	Deg-C
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/23/2013 9:05	TN	3.303276	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/23/2013 9:05	TP	0.23928	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/23/2013 9:05	TSS	63.5	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/23/2013 7:25	Specific Conductance	612	umho/cm
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/23/2013 7:25	DO	1.1	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/23/2013 7:25	Enterococci	86	MPN/100 mL
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/23/2013 7:25	E. coli	10	MPN/100 mL
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/23/2013 7:25	TempC	26.1	Deg-C
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/23/2013 7:25	TN	0.77838	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/23/2013 7:25	TP	0.078912	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/23/2013 7:25	TSS	5	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/23/2013 8:02	Specific Conductance	710	umho/cm
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/23/2013 8:02	DO	4.7	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/23/2013 8:02	Enterococci	833	MPN/100 mL
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/23/2013 8:02	E. coli	816	MPN/100 mL
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/23/2013 8:02	TempC	23.3	Deg-C
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/23/2013 8:02	TN	1.146036	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/23/2013 8:02	TP	0.107616	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/23/2013 8:02	TSS	8	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/23/2013 8:20	Specific Conductance	698	umho/cm
SRWC-SR3	Saugus River @ Route 1, Saugus	7/23/2013 8:20	DO	3.8	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/23/2013 8:20	Enterococci	3080	MPN/100 mL
SRWC-SR3	Saugus River @ Route 1, Saugus	7/23/2013 8:20	E. coli	1160	MPN/100 mL
SRWC-SR3	Saugus River @ Route 1, Saugus	7/23/2013 8:20	TempC	23.3	Deg-C
SRWC-SR3	Saugus River @ Route 1, Saugus	7/23/2013 8:20	TN	1.147176	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/23/2013 8:20	TP	0.10236	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/23/2013 8:20	TSS	<5.00	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/23/2013 8:38	Specific Conductance	681	umho/cm
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/23/2013 8:38	DO	6.8	mg/L

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/23/2013 8:38	Enterococci	3260	MPN/100 mL
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/23/2013 8:38	E. coli	1560	MPN/100 mL
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/23/2013 8:38	TempC	22.7	Deg-C
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/23/2013 8:38	TN	1.207236	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/23/2013 8:38	TP	0.102708	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/23/2013 8:38	TSS	7	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/23/2013 8:55	Specific Conductance	27100	umho/cm
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/23/2013 8:55	DO	3.44	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/23/2013 8:55	Enterococci	2360	MPN/100 mL
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/23/2013 8:55	E. coli	4610	MPN/100 mL
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/23/2013 8:55	TempC	23.6	Deg-C
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/23/2013 8:55	TN	0.908292	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/23/2013 8:55	TP	0.151068	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/23/2013 8:55	TSS	26	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/23/2013 8:36	Specific Conductance	4400	umho/cm
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/23/2013 8:36	DO	4.52	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/23/2013 8:36	Enterococci	>24200	MPN/100 mL
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/23/2013 8:36	E. coli	5790	MPN/100 mL
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/23/2013 8:36	TempC	24.1	Deg-C
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/23/2013 8:36	TN	3.317196	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/23/2013 8:36	TP	0.347424	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/23/2013 8:36	TSS	13	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/23/2013 6:50	Specific Conductance	972	umho/cm
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/23/2013 6:50	DO	4.08	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/23/2013 6:50	Enterococci	12000	MPN/100 mL
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/23/2013 6:50	E. coli	24200	MPN/100 mL
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/23/2013 6:50	TempC	19.9	Deg-C
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/23/2013 6:50	TN	1.903116	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/23/2013 6:50	TP	0.0855	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/23/2013 6:50	TSS	<5.00	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/23/2013 7:16	Specific Conductance	1500	umho/cm
SRWC-TRB1	Trifone Brook, Revere	7/23/2013 7:16	DO	6.26	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/23/2013 7:16	Enterococci	>24200	MPN/100 mL

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-TRB1	Trifone Brook, Revere	7/23/2013 7:16	E. coli	>24200	MPN/100 mL
SRWC-TRB1	Trifone Brook, Revere	7/23/2013 7:16	TempC	19	Deg-C
SRWC-TRB1	Trifone Brook, Revere	7/23/2013 7:16	TP	0.158784	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/23/2013 7:16	TN	4.748436	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/23/2013 7:16	TSS	10	mg/L