

Name	Description	Sampled Date	Parameter	Result	Unit
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/29/2014 6:43	Specific Conductance	505	umho/cm
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/29/2014 6:43	DO	6.13	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/29/2014 6:43	Enterococci	233	MPN/100 mL
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/29/2014 6:43	E. coli	<10	MPN/100 mL
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/29/2014 6:43	TempC	23.3	Deg-C
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/29/2014 6:43	TP	0.143928	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/29/2014 6:43	TN	1.7264	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/29/2014 6:43	TSS	45	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/29/2014 7:18	Specific Conductance	336.1	umho/cm
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/29/2014 7:18	DO	2.47	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/29/2014 7:18	Enterococci	6870	MPN/100 mL
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/29/2014 7:18	E. coli	9800	MPN/100 mL
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/29/2014 7:18	TempC	20.1	Deg-C
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/29/2014 7:18	TN	0.967856	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/29/2014 7:18	TP	0.105576	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/29/2014 7:18	TSS	5	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/29/2014 6:40	Specific Conductance	40640	umho/cm
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/29/2014 6:40	DO	5.38	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/29/2014 6:40	Enterococci	231	MPN/100 mL
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/29/2014 6:40	E. coli	272	MPN/100 mL
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/29/2014 6:40	TempC	20.2	Deg-C
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/29/2014 6:40	TN	0.466736	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/29/2014 6:40	TP	0.08916	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/29/2014 6:40	TSS	30	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/29/2014 6:58	Specific Conductance	40590	umho/cm
SRWC-PR2	Pines River @ Route 1A, Revere	7/29/2014 6:58	DO	4.79	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/29/2014 6:58	Enterococci	146	MPN/100 mL
SRWC-PR2	Pines River @ Route 1A, Revere	7/29/2014 6:58	E. coli	512	MPN/100 mL
SRWC-PR2	Pines River @ Route 1A, Revere	7/29/2014 6:58	TempC	20.2	Deg-C
SRWC-PR2	Pines River @ Route 1A, Revere	7/29/2014 6:58	TN	0.521756	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/29/2014 6:58	TP	0.1047	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/29/2014 6:58	TSS	38.5	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/29/2014 8:24	Specific Conductance	888	umho/cm
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/29/2014 8:24	DO	7.53	mg/L

Name	Description	Sampled Date	Parameter	Result	Unit
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/29/2014 8:24	Enterococci	2050	MPN/100 mL
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/29/2014 8:24	E. coli	4610	MPN/100 mL
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/29/2014 8:24	TempC	18.8	Deg-C
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/29/2014 8:24	TN	1.38206	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/29/2014 8:24	TP	0.071916	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/29/2014 8:24	TSS	<5.00	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/29/2014 7:04	Specific Conductance	602	umho/cm
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/29/2014 7:04	DO	6.2	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/29/2014 7:04	Enterococci	197	MPN/100 mL
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/29/2014 7:04	E. coli	323	MPN/100 mL
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/29/2014 7:04	TempC	22.4	Deg-C
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/29/2014 7:04	TP	0.072372	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/29/2014 7:04	TN	0.763712	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/29/2014 7:04	TSS	<5.00	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/29/2014 7:39	Specific Conductance	281.7	umho/cm
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/29/2014 7:39	DO	4.37	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/29/2014 7:39	Enterococci	13000	MPN/100 mL
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/29/2014 7:39	E. coli	>24200	MPN/100 mL
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/29/2014 7:39	TempC	20.4	Deg-C
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/29/2014 7:39	TN	0.86492	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/29/2014 7:39	TP	0.105876	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/29/2014 7:39	TSS	5	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/29/2014 8:00	Specific Conductance	281.1	umho/cm
SRWC-SR3	Saugus River @ Route 1, Saugus	7/29/2014 8:00	DO	4.82	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/29/2014 8:00	Enterococci	13000	MPN/100 mL
SRWC-SR3	Saugus River @ Route 1, Saugus	7/29/2014 8:00	E. coli	19900	MPN/100 mL
SRWC-SR3	Saugus River @ Route 1, Saugus	7/29/2014 8:00	TempC	20.6	Deg-C
SRWC-SR3	Saugus River @ Route 1, Saugus	7/29/2014 8:00	TN	0.779	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/29/2014 8:00	TP	0.089664	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/29/2014 8:00	TSS	8.5	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/29/2014 8:20	Specific Conductance	318.5	umho/cm
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/29/2014 8:20	DO	6.42	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/29/2014 8:20	Enterococci	13000	MPN/100 mL
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/29/2014 8:20	E. coli	>24200	MPN/100 mL

Name	Description	Sampled Date	Parameter	Result	Unit
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/29/2014 8:20	TempC	20.5	Deg-C
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/29/2014 8:20	TP	0.095436	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/29/2014 8:20	TN	0.835808	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/29/2014 8:20	TSS	11.5	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/29/2014 7:55	Specific Conductance	1520	umho/cm
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/29/2014 7:55	DO	5.55	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/29/2014 7:55	Enterococci	6130	MPN/100 mL
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/29/2014 7:55	E. coli	24200	MPN/100 mL
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/29/2014 7:55	TempC	20.7	Deg-C
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/29/2014 7:55	TP	0.130344	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/29/2014 7:55	TN	0.935768	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/29/2014 7:55	TSS	25	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/29/2014 7:30	Specific Conductance	7220	umho/cm
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/29/2014 7:30	DO	3.76	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/29/2014 7:30	Enterococci	754	MPN/100 mL
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/29/2014 7:30	E. coli	1190	MPN/100 mL
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/29/2014 7:30	TempC	22	Deg-C
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/29/2014 7:30	TN	1.09232	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/29/2014 7:30	TP	0.061032	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/29/2014 7:30	TSS	<5.00	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/29/2014 5:45	Specific Conductance	921	umho/cm
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/29/2014 5:45	DO	4.23	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/29/2014 5:45	Enterococci	7270	MPN/100 mL
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/29/2014 5:45	E. coli	13000	MPN/100 mL
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/29/2014 5:45	TempC	18.5	Deg-C
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/29/2014 5:45	TP	0.113016	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/29/2014 5:45	TN	2.02598	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/29/2014 5:45	TSS	5.5	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/29/2014 6:05	Specific Conductance	1005	umho/cm
SRWC-TRB1	Trifone Brook, Revere	7/29/2014 6:05	DO	6.85	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/29/2014 6:05	Enterococci	1520	MPN/100 mL
SRWC-TRB1	Trifone Brook, Revere	7/29/2014 6:05	E. coli	4880	MPN/100 mL
SRWC-TRB1	Trifone Brook, Revere	7/29/2014 6:05	TempC	18.3	Deg-C
SRWC-TRB1	Trifone Brook, Revere	7/29/2014 6:05	TN	3.85616	mg/L

Name	Description	Sampled Date	Parameter	Result	Unit
SRWC-TRB1	Trifone Brook, Revere	7/29/2014 6:05	TP	0.113772	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/29/2014 6:05	TSS	<5.00	mg/L