

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/23/2015 6:34	DO	6.8	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/23/2015 6:34	E. coli	496	MPN/100 mL
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/23/2015 6:34	Enterococci	52	MPN/100 mL
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/23/2015 6:34	Specific Conductance	598	umho/cm
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/23/2015 6:34	TempC	23.1	Deg-C
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/23/2015 6:34	TN	1.210476	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/23/2015 6:34	TP	0.053484	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/23/2015 6:34	TSS	6.5	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/23/2015 7:00	DO	2.6	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/23/2015 7:00	E. coli	1250	MPN/100 mL
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/23/2015 7:00	Enterococci	816	MPN/100 mL
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/23/2015 7:00	Specific Conductance	593	umho/cm
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/23/2015 7:00	TempC	19.2	Deg-C
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/23/2015 7:00	TN	0.731868	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/23/2015 7:00	TP	0.076224	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/23/2015 7:00	TSS	<5.00	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/23/2015 6:35	DO	7.58	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/23/2015 6:35	E. coli	20	MPN/100 mL
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/23/2015 6:35	Enterococci	<10	MPN/100 mL
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/23/2015 6:35	Specific Conductance	44040	umho/cm
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/23/2015 6:35	TempC	18	Deg-C
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/23/2015 6:35	TN	0.321132	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/23/2015 6:35	TP	0.051216	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/23/2015 6:35	TSS	27	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	6/23/2015 6:45	DO	6.96	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	6/23/2015 6:45	E. coli	20	MPN/100 mL
SRWC-PR2	Pines River @ Route 1A, Revere	6/23/2015 6:45	Enterococci	10	MPN/100 mL
SRWC-PR2	Pines River @ Route 1A, Revere	6/23/2015 6:45	Specific Conductance	43270	umho/cm
SRWC-PR2	Pines River @ Route 1A, Revere	6/23/2015 6:45	TempC	18.7	Deg-C
SRWC-PR2	Pines River @ Route 1A, Revere	6/23/2015 6:45	TN	0.289836	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	6/23/2015 6:45	TP	0.04704	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	6/23/2015 6:45	TSS	17.5	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/23/2015 7:25	DO	4.26	mg/L

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/23/2015 7:25	E. coli	683	MPN/100 mL
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/23/2015 7:25	Enterococci	323	MPN/100 mL
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/23/2015 7:25	Specific Conductance	24810	umho/cm
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/23/2015 7:25	TempC	21.4	Deg-C
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/23/2015 7:25	TN	0.701364	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/23/2015 7:25	TP	0.081348	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/23/2015 7:25	TSS	17.5	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/23/2015 7:18	DO	5.6	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/23/2015 7:18	E. coli	1210	MPN/100 mL
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/23/2015 7:18	Enterococci	1330	MPN/100 mL
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/23/2015 7:18	Specific Conductance	542	umho/cm
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/23/2015 7:18	TempC	19.5	Deg-C
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/23/2015 7:18	TN	0.836916	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/23/2015 7:18	TP	0.09324	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/23/2015 7:18	TSS	5.5	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/23/2015 7:51	DO	7.9	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/23/2015 7:51	E. coli	1090	MPN/100 mL
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/23/2015 7:51	Enterococci	311	MPN/100 mL
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/23/2015 7:51	Specific Conductance	588	umho/cm
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/23/2015 7:51	TempC	19.8	Deg-C
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/23/2015 7:51	TN	0.851652	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/23/2015 7:51	TP	0.079572	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/23/2015 7:51	TSS	8.5	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	6/23/2015 7:37	DO	5.8	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	6/23/2015 7:37	E. coli	1080	MPN/100 mL
SRWC-SR3	Saugus River @ Route 1, Saugus	6/23/2015 7:37	Enterococci	933	MPN/100 mL
SRWC-SR3	Saugus River @ Route 1, Saugus	6/23/2015 7:37	Specific Conductance	548	umho/cm
SRWC-SR3	Saugus River @ Route 1, Saugus	6/23/2015 7:37	TempC	20.2	Deg-C
SRWC-SR3	Saugus River @ Route 1, Saugus	6/23/2015 7:37	TN	0.766884	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	6/23/2015 7:37	TP	0.08046	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	6/23/2015 7:37	TSS	5.5	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/23/2015 6:47	DO	6.6	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/23/2015 6:47	E. coli	240	MPN/100 mL

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/23/2015 6:47	Enterococci	134	MPN/100 mL
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/23/2015 6:47	Specific Conductance	676	umho/cm
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/23/2015 6:47	TempC	23.4	Deg-C
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/23/2015 6:47	TN	0.892716	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/23/2015 6:47	TP	0.15198	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/23/2015 6:47	TSS	5	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/23/2015 7:45	DO	8.39	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/23/2015 7:45	E. coli	1140	MPN/100 mL
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/23/2015 7:45	Enterococci	1350	MPN/100 mL
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/23/2015 7:45	Specific Conductance	1398	umho/cm
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/23/2015 7:45	TempC	16.7	Deg-C
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/23/2015 7:45	TN	1.516776	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/23/2015 7:45	TP	0.043728	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/23/2015 7:45	TSS	<5.00	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/23/2015 7:15	DO	5.7	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/23/2015 7:15	E. coli	1400	MPN/100 mL
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/23/2015 7:15	Enterococci	1720	MPN/100 mL
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/23/2015 7:15	Specific Conductance	6150	umho/cm
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/23/2015 7:15	TempC	21.7	Deg-C
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/23/2015 7:15	TN	0.740724	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/23/2015 7:15	TP	0.031212	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/23/2015 7:15	TSS	<5.00	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/23/2015 5:58	DO	3.35	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/23/2015 5:58	E. coli	1150	MPN/100 mL
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/23/2015 5:58	Enterococci	1540	MPN/100 mL
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/23/2015 5:58	Specific Conductance	7950	umho/cm
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/23/2015 5:58	TempC	18.2	Deg-C
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/23/2015 5:58	TN	1.561416	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/23/2015 5:58	TP	0.066792	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/23/2015 5:58	TSS	8	mg/L
SRWC-TRB1	Trifone Brook, Revere	6/23/2015 6:15	DO	7.43	mg/L
SRWC-TRB1	Trifone Brook, Revere	6/23/2015 6:15	E. coli	3080	MPN/100 mL
SRWC-TRB1	Trifone Brook, Revere	6/23/2015 6:15	Enterococci	1380	MPN/100 mL

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-TRB1	Trifone Brook, Revere	6/23/2015 6:15	Specific Conductance	1100	umho/cm
SRWC-TRB1	Trifone Brook, Revere	6/23/2015 6:15	TempC	16.7	Deg-C
SRWC-TRB1	Trifone Brook, Revere	6/23/2015 6:15	TN	3.445596	mg/L
SRWC-TRB1	Trifone Brook, Revere	6/23/2015 6:15	TP	0.110184	mg/L
SRWC-TRB1	Trifone Brook, Revere	6/23/2015 6:15	TSS	<5.00	mg/L