

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/28/2015 6:35	Specific Conductance	615	umho/cm
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/28/2015 6:35	DO	6.65	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/28/2015 6:35	Enterococci	63	MPN/100 mL
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/28/2015 6:35	E. coli	98	MPN/100 mL
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/28/2015 6:35	TempC	24.1	Deg-C
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/28/2015 6:35	TP	0.183212	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/28/2015 6:35	TN	1.845992	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	7/28/2015 6:35	TSS	37.5	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/28/2015 7:04	Specific Conductance	1142	umho/cm
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/28/2015 7:04	DO	1.43	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/28/2015 7:04	Enterococci	173	MPN/100 mL
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/28/2015 7:04	E. coli	197	MPN/100 mL
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/28/2015 7:04	TempC	21.1	Deg-C
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/28/2015 7:04	TP	0.060728	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/28/2015 7:04	TN	1.014332	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	7/28/2015 7:04	TSS	<5.00	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/28/2015 6:48	Specific Conductance	44300	umho/cm
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/28/2015 6:48	DO	2.44	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/28/2015 6:48	Enterococci	631	MPN/100 mL
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/28/2015 6:48	E. coli	1940	MPN/100 mL
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/28/2015 6:48	TempC	23.1	Deg-C
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/28/2015 6:48	TP	0.122756	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/28/2015 6:48	TN	0.549248	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	7/28/2015 6:48	TSS	30.5	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/28/2015 6:58	Specific Conductance	44420	umho/cm
SRWC-PR2	Pines River @ Route 1A, Revere	7/28/2015 6:58	DO	2.35	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/28/2015 6:58	Enterococci	85	MPN/100 mL
SRWC-PR2	Pines River @ Route 1A, Revere	7/28/2015 6:58	E. coli	85	MPN/100 mL
SRWC-PR2	Pines River @ Route 1A, Revere	7/28/2015 6:58	TempC	23.3	Deg-C
SRWC-PR2	Pines River @ Route 1A, Revere	7/28/2015 6:58	TP	0.113372	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/28/2015 6:58	TN	0.519992	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	7/28/2015 6:58	TSS	22.5	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/28/2015 7:35	Specific Conductance	35580	umho/cm

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/28/2015 7:35	DO	3.83	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/28/2015 7:35	Enterococci	1460	MPN/100 mL
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/28/2015 7:35	E. coli	5170	MPN/100 mL
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/28/2015 7:35	TempC	24.4	Deg-C
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/28/2015 7:35	TP	0.142568	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/28/2015 7:35	TN	0.847904	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	7/28/2015 7:35	TSS	16.5	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/28/2015 7:25	Specific Conductance	1001	umho/cm
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/28/2015 7:25	DO	6.2	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/28/2015 7:25	Enterococci	382	MPN/100 mL
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/28/2015 7:25	E. coli	374	MPN/100 mL
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/28/2015 7:25	TempC	21.3	Deg-C
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/28/2015 7:25	TP	0.079124	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/28/2015 7:25	TN	0.845528	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	7/28/2015 7:25	TSS	<5.00	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/28/2015 7:54	Specific Conductance	961	umho/cm
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/28/2015 7:54	DO	7.8	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/28/2015 7:54	Enterococci	1010	MPN/100 mL
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/28/2015 7:54	E. coli	886	MPN/100 mL
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/28/2015 7:54	TempC	21.5	Deg-C
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/28/2015 7:54	TP	0.073016	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/28/2015 7:54	TN	0.988832	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	7/28/2015 7:54	TSS	6	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/28/2015 7:40	Specific Conductance	894	umho/cm
SRWC-SR3	Saugus River @ Route 1, Saugus	7/28/2015 7:40	DO	5.5	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/28/2015 7:40	Enterococci	909	MPN/100 mL
SRWC-SR3	Saugus River @ Route 1, Saugus	7/28/2015 7:40	E. coli	983	MPN/100 mL
SRWC-SR3	Saugus River @ Route 1, Saugus	7/28/2015 7:40	TempC	22.1	Deg-C
SRWC-SR3	Saugus River @ Route 1, Saugus	7/28/2015 7:40	TP	0.081944	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/28/2015 7:40	TN	0.804296	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	7/28/2015 7:40	TSS	7.5	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/28/2015 6:50	Specific Conductance	837	umho/cm
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/28/2015 6:50	DO	3.6	mg/L

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/28/2015 6:50	Enterococci	30	MPN/100 mL
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/28/2015 6:50	E. coli	20	MPN/100 mL
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/28/2015 6:50	TempC	23.9	Deg-C
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/28/2015 6:50	TP	0.070052	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/28/2015 6:50	TN	0.701024	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	7/28/2015 6:50	TSS	<5.00	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/28/2015 7:50	Specific Conductance	1233	umho/cm
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/28/2015 7:50	DO	6.44	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/28/2015 7:50	Enterococci	4610	MPN/100 mL
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/28/2015 7:50	E. coli	9800	MPN/100 mL
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/28/2015 7:50	TempC	19.8	Deg-C
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/28/2015 7:50	TP	0.054548	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/28/2015 7:50	TN	1.613852	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	7/28/2015 7:50	TSS	<5.00	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/28/2015 7:22	Specific Conductance	38660	umho/cm
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/28/2015 7:22	DO	2	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/28/2015 7:22	Enterococci	5790	MPN/100 mL
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/28/2015 7:22	E. coli	15500	MPN/100 mL
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/28/2015 7:22	TempC	24.3	Deg-C
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/28/2015 7:22	TP	0.14288	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/28/2015 7:22	TN	1.326692	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	7/28/2015 7:22	TSS	20.5	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/28/2015 5:55	Specific Conductance	3266	umho/cm
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/28/2015 5:55	DO	1.75	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/28/2015 5:55	Enterococci	1940	MPN/100 mL
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/28/2015 5:55	E. coli	2360	MPN/100 mL
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/28/2015 5:55	TempC	19.7	Deg-C
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/28/2015 5:55	TP	0.126344	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/28/2015 5:55	TN	1.690652	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	7/28/2015 5:55	TSS	10	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/28/2015 6:20	Specific Conductance	1427	umho/cm
SRWC-TRB1	Trifone Brook, Revere	7/28/2015 6:20	DO	3.89	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/28/2015 6:20	Enterococci	616	MPN/100 mL

Site Code	Site Description	Date / Time	Parameter	Result	Unit
SRWC-TRB1	Trifone Brook, Revere	7/28/2015 6:20	E. coli	6870	MPN/100 mL
SRWC-TRB1	Trifone Brook, Revere	7/28/2015 6:20	TempC	18.8	Deg-C
SRWC-TRB1	Trifone Brook, Revere	7/28/2015 6:20	TP	0.049736	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/28/2015 6:20	TN	3.506312	mg/L
SRWC-TRB1	Trifone Brook, Revere	7/28/2015 6:20	TSS	<5.00	mg/L