

Name	Description	Sampled Date	Parameter	Result	Unit
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/10/2014 6:30	E. coli	161	MPN/100 mL
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/10/2014 6:30	Enterococci	74	MPN/100 mL
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/10/2014 6:30	Specific Conductance	514	umho/cm
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/10/2014 6:30	DO	7.82	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/10/2014 6:30	TempC	21.7	Deg-C
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/10/2014 6:30	TN	1.537108	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/10/2014 6:30	TP	0.071204	mg/L
SRWC-LQ1	Lake Quannapowitt, Wakefield	6/10/2014 6:30	TSS	21.3	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/10/2014 7:10	E. coli	771	MPN/100 mL
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/10/2014 7:10	Enterococci	256	MPN/100 mL
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/10/2014 7:10	Specific Conductance	943	umho/cm
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/10/2014 7:10	DO	3.4	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/10/2014 7:10	TempC	18.1	Deg-C
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/10/2014 7:10	TN	1.242508	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/10/2014 7:10	TP	0.065264	mg/L
SRWC-MR1	Mill River @ Farm Street, Wakefield	6/10/2014 7:10	TSS	18	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/10/2014 6:30	E. coli	20	MPN/100 mL
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/10/2014 6:30	Enterococci	<10	MPN/100 mL
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/10/2014 6:30	Specific Conductance	40550	umho/cm
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/10/2014 6:30	DO	5.18	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/10/2014 6:30	TempC	19.7	Deg-C
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/10/2014 6:30	TN	0.36034	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/10/2014 6:30	TP	0.05828	mg/L
SRWC-PR1	Pines / Saugus River @ Gibson Park, Revere	6/10/2014 6:30	TSS	20.5	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	6/10/2014 6:40	E. coli	10	MPN/100 mL
SRWC-PR2	Pines River @ Route 1A, Revere	6/10/2014 6:40	Enterococci	10	MPN/100 mL
SRWC-PR2	Pines River @ Route 1A, Revere	6/10/2014 6:40	Specific Conductance	40460	umho/cm
SRWC-PR2	Pines River @ Route 1A, Revere	6/10/2014 6:40	DO	5.38	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	6/10/2014 6:40	TempC	19.9	Deg-C
SRWC-PR2	Pines River @ Route 1A, Revere	6/10/2014 6:40	TN	0.393544	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	6/10/2014 6:40	TP	0.060836	mg/L
SRWC-PR2	Pines River @ Route 1A, Revere	6/10/2014 6:40	TSS	29.5	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/10/2014 7:35	E. coli	909	MPN/100 mL

Name	Description	Sampled Date	Parameter	Result	Unit
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/10/2014 7:35	Enterococci	441	MPN/100 mL
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/10/2014 7:35	Specific Conductance	1194	umho/cm
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/10/2014 7:35	DO	8.05	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/10/2014 7:35	TempC	15.9	Deg-C
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/10/2014 7:35	TN	1.656388	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/10/2014 7:35	TP	0.041192	mg/L
SRWC-SHB1	Shute Brook downstream of Central Street, Saugus	6/10/2014 7:35	TSS	<5.00	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/10/2014 6:50	E. coli	41	MPN/100 mL
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/10/2014 6:50	Enterococci	85	MPN/100 mL
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/10/2014 6:50	Specific Conductance	713	umho/cm
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/10/2014 6:50	DO	6.7	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/10/2014 6:50	TempC	22.6	Deg-C
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/10/2014 6:50	TN	0.880108	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/10/2014 6:50	TP	0.089624	mg/L
SRWC-SR1	Saugus River upstream of LWSC Dam, Wakefield / Lynnfield	6/10/2014 6:50	TSS	7.5	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/10/2014 7:30	E. coli	203	MPN/100 mL
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/10/2014 7:30	Enterococci	122	MPN/100 mL
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/10/2014 7:30	Specific Conductance	779	umho/cm
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/10/2014 7:30	DO	5.6	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/10/2014 7:30	TempC	19.9	Deg-C
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/10/2014 7:30	TN	1.033156	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/10/2014 7:30	TP	0.071192	mg/L
SRWC-SR2	Saugus River @ Breakheart, Saugus	6/10/2014 7:30	TSS	11	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	6/10/2014 7:45	E. coli	275	MPN/100 mL
SRWC-SR3	Saugus River @ Route 1, Saugus	6/10/2014 7:45	Enterococci	156	MPN/100 mL
SRWC-SR3	Saugus River @ Route 1, Saugus	6/10/2014 7:45	Specific Conductance	784	umho/cm
SRWC-SR3	Saugus River @ Route 1, Saugus	6/10/2014 7:45	DO	5.25	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	6/10/2014 7:45	TempC	19.7	Deg-C
SRWC-SR3	Saugus River @ Route 1, Saugus	6/10/2014 7:45	TN	1.015252	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	6/10/2014 7:45	TP	0.068696	mg/L
SRWC-SR3	Saugus River @ Route 1, Saugus	6/10/2014 7:45	TSS	13.5	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/10/2014 8:00	E. coli	638	MPN/100 mL
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/10/2014 8:00	Enterococci	203	MPN/100 mL

Name	Description	Sampled Date	Parameter	Result	Unit
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/10/2014 8:00	Specific Conductance	852	umho/cm
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/10/2014 8:00	DO	8.23	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/10/2014 8:00	TempC	19.1	Deg-C
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/10/2014 8:00	TN	1.153648	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/10/2014 8:00	TP	0.064448	mg/L
SRWC-SR4	Saugus River @ Bridge Street, Saugus	6/10/2014 8:00	TSS	13	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/10/2014 7:23	E. coli	545	MPN/100 mL
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/10/2014 7:23	Enterococci	275	MPN/100 mL
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/10/2014 7:23	Specific Conductance	32310	umho/cm
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/10/2014 7:23	DO	5.89	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/10/2014 7:23	TempC	20.8	Deg-C
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/10/2014 7:23	TN	0.742204	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/10/2014 7:23	TP	0.089912	mg/L
SRWC-SR5	Saugus River @ Boston Street/ Lincoln Ave, Lynn / Saugus	6/10/2014 7:23	TSS	24	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/10/2014 7:07	E. coli	63	MPN/100 mL
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/10/2014 7:07	Enterococci	108	MPN/100 mL
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/10/2014 7:07	Specific Conductance	1826	umho/cm
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/10/2014 7:07	DO	6.74	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/10/2014 7:07	TempC	20.8	Deg-C
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/10/2014 7:07	TN	0.835636	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/10/2014 7:07	TP	0.031856	mg/L
SRWC-STB1	Strawberry Brook Outlet, Lynn	6/10/2014 7:07	TSS	5	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/10/2014 5:55	E. coli	2600	MPN/100 mL
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/10/2014 5:55	Enterococci	1660	MPN/100 mL
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/10/2014 5:55	Specific Conductance	754	umho/cm
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/10/2014 5:55	DO	3.98	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/10/2014 5:55	TempC	15.3	Deg-C
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/10/2014 5:55	TN	1.737148	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/10/2014 5:55	TP	0.042224	mg/L
SRWC-TLB1	Town Line Brook @ Cemeteries, Malden	6/10/2014 5:55	TSS	<5.00	mg/L
SRWC-TRB1	Trifone Brook, Revere	6/10/2014 6:08	E. coli	>24200	MPN/100 mL
SRWC-TRB1	Trifone Brook, Revere	6/10/2014 6:08	Enterococci	>24200	MPN/100 mL
SRWC-TRB1	Trifone Brook, Revere	6/10/2014 6:08	Specific Conductance	1228	umho/cm

Name	Description	Sampled Date	Parameter	Result	Unit
SRWC-TRB1	Trifone Brook, Revere	6/10/2014 6:08	DO	7.57	mg/L
SRWC-TRB1	Trifone Brook, Revere	6/10/2014 6:08	TempC	15.8	Deg-C
SRWC-TRB1	Trifone Brook, Revere	6/10/2014 6:08	TP	0.067868	mg/L
SRWC-TRB1	Trifone Brook, Revere	6/10/2014 6:08	TN	3.892588	mg/L
SRWC-TRB1	Trifone Brook, Revere	6/10/2014 6:08	TSS	12	mg/L